Content available at: <https://www.ipinnovative.com/open-access-journals>

IP Indian Journal of Neurosciences

Journal homepage: <https://www.ipinnovative.com/journals/IJN>

Original Research Article

Psychiatric clinical exposure and its impact on attitude towards psychiatry in undergraduate medical students

M Prajwala¹, B Sarath^{2,*}, K Madhavi², P Krishna Mohan²¹Dept. of Psychiatry, Government Hospital for Mental Care, Visakhapatnam, Andhra Pradesh, India²Dept. of Psychiatry, Dr.Pinnamaneni Siddhartha Institute of Medical Sciences and Research. Center, Chinnaautapalli, Gannavaram, Peda Avutapalli, Andhra Pradesh, India

ARTICLE INFO

Article history:

Received 27-10-2020

Accepted 09-11-2020

Available online 30-11-2020

Keywords:

Psychiatry

Attitude

Undergraduate

ABSTRACT

Background: The discipline of psychiatry, and psychiatry as a career option, have been negatively regarded by medical students for decades. Recent literature states that disability due to psychiatric disorders has been increasing and the global burden of mental illness ranks second. For effective health care to be delivered, it is crucial that health professionals are not hampered by prejudiced attitudes. This study aims to assess the attitude of medical students towards psychiatry.

Materials and Methods: The responses of 70 medical students from first year; who have not been exposed to psychiatry were compared with 127 final year students; who have completed psychiatry clinical postings, using ATP30 questionnaire that assessed their attitude to psychiatry and their interest in pursuing psychiatry as career choice.

Results: The overall attitude towards psychiatry did not differ between students before and after psychiatric education. Women were found to have significant positive attitude towards psychiatry ($p=0.007$). Even though the overall scores did not show significant change, we have observed that psychiatric education had significant influence on the students with respect to the role of psychiatrist, psychiatric hospitals and the effectiveness of psychiatric treatment.

Conclusion: Psychiatric education positively influences attitude of medical students towards some aspects of psychiatry but does not increase the number of students willing to pursue psychiatry as a career. It will be helpful if changes are made in psychiatric curriculum for undergraduates to meet current and future requirement of medical professionals to deal with psychiatric disorders.

© This is an open access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>) which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

1. Introduction

The burden of mental disorders has increased worldwide. Global burden of mental illness is estimated to be 32.4% of years lived with disability (YLD) and 13.0% of disability-adjusted life years (DALY), thus placing mental illness on level with cardiovascular diseases.¹ According to current estimates of mental illness to total disease burden in India, mental disorders are known to be the leading contributor to years lived with disability (14.5%) and 4.7% of DALYs.²

Attitudes of stigma towards patients with mental illness are known to be prevalent in health professionals and students.³ The undergraduate medical students are found to have notable shortcomings in knowledge and attitude about psychiatric disorders, mainly in the initial years of course.⁴

The discipline of psychiatry, and choosing psychiatry as a career option, have been negatively regarded by medical students for decades. Attracting medical students to specialize in psychiatry has been a considerable problem.⁵ Negative attitude towards psychiatry was reported among medical students after psychiatry clinical rotation.^{6,7}

For effective health care to be delivered, it is crucial that health professionals are not hampered by prejudiced

* Corresponding author.

E-mail address: sharri_22@yahoo.com (B. Sarath).

attitudes. Hence, this study aims to assess the attitude of undergraduate medical students towards psychiatry and the impact of psychiatric clinical exposure on the attitude.

2. Materials and Methods

This cross sectional study was conducted at a medical college after obtaining approval from Institutional Ethical Committee. Under graduate medical students belonging to first and final year were recruited for the study. The first year students did not have psychiatric theory or clinical exposure while the final year students completed their clinical postings and are exposed to theory classes. Sociodemographic characteristics were obtained from the subjects using a semi structured proforma developed in the department of Psychiatry which included age, gender, Rural/Urban background. In order to ensure anonymity they were instructed not to write their names on their response sheets. ATP-30 Questionnaire was administered on all the subjects.

The ATP questionnaire consists of 30 items and has been standardized and validated.⁸ It covers 7 related attitudinal areas pertaining to psychiatric patients, psychiatric illness, psychiatric knowledge, psychiatrists, psychiatric career choice, psychiatric institutions and psychiatric teaching. Respondents are expected to express their agreement or disagreement to each statement on a 5-point Likert scale ranging from 1 (agree strongly) to 5 (disagree strongly). Half the items are positively phrased and reverse scored. i.e., Score for the positively phrased items (question no. 4, 5, 9-12, 14, 15, 18, 20, 23, 25, 27-29) were reversed by subtracting the score from 6. The total score for each respondent is the sum of the scores on all 30 statements. Score more than 90 indicate a positive attitude towards psychiatry while score less than 90 indicate a negative attitude. A neutral ATP is indicated by a score of 90. Maximum score is 150 and minimum score is 30.

2.1. Statistical methods

Data was entered and analyzed by using SPSS 21. Descriptive statistics were done. Mann-Whitney U test was applied for finding significance as the variables were continuous and distributed non parametrically. $p < 0.05$ was considered as statistically significant.

3. Results

Total Study population – $n = 197$

1. First year students – $n = 70$ (Age – 17 - 20 years)
2. Final year students – $n = 127$ (Age – 20 - 23 years)
3. Total Study population – $n = 197$
4. First year students – $n = 70$ (Age – 17 - 20 years) of which female students $n=50$ (71.4%) and male students $n=20$ (28.6%)

5. Final year students – $n = 127$ (Age – 20 - 23 years) of which female students are $n=93$ (73.2%) and male students $n=34$ (26.8%)

Main interpretations from the results are:

Students who were yet to be exposed to psychiatry already had positive ATP score (mean score of first year students – 105.5 ± 9.96).

Women students had more positive mean ATP score than men indicating that women have more positive attitude towards psychiatry.

Exposure to psychiatric theory and clinics did not significantly increase the mean ATP score as a whole. (mean score of final year students – 104.93 ± 11.49).

But there was significant positive change pertaining to aspects of psychiatric illness, psychiatric hospitals and role of psychiatrists and psychiatric treatment.

Exposure to psychiatry did not increase the likelihood of choosing psychiatry as a career.

Disappointingly, Majority of final year students reported that psychiatric training did not increase understanding of medical and surgical patients and also reported that psychiatric undergraduate training has not been valuable.

4. Discussion

In the present study, women students had more positive mean ATP score than men indicating that women have more positive attitude towards psychiatry. Similar findings are seen in a study done in Pakistan, where higher proportion of female students had more positive attitude as compared to their male counter parts.⁹

Results of our study were in accordance to the earlier studies, which also showed that even though the overall scores on ATP30 questionnaire did not significantly change with psychiatric exposure, there were few aspects of psychiatry which had positive influence on medical students.^{5,10-12}

In the current study, there was significant positive change pertaining to aspects of psychiatric illness, psychiatric hospitals and role of psychiatrists and psychiatric treatment. Exposure of psychiatry did not increase the likelihood of choosing psychiatry as a career. Previous study reported that even though majority of the UG students and most of the interns had positive attitude toward psychiatry, very few students affirmatively indicated to choose psychiatry as a career choice and nearly 73% denied choosing psychiatry as a specialty.¹³ Medical students' attitudes towards psychiatry may be positive, but choice of psychiatry as a potential career option is unpopular.^{14,15}

There are several studies from various parts of world assessing the attitude of medical students following undergraduate psychiatric exposure. However, some found positive influence while some found no measurable change.¹⁵⁻¹⁸ The discrepancies in the results of various

Table 1: Descriptive statistics of the Study population

Variable	First year n (%)	Final year n (%)	Total n (%)
Sex			
Female	50 (71.4)	93 (73.2)	143 (72.6)
Male	20 (28.6)	34 (26.8)	54 (27.4)
Locality			
Urban	53 (75.7)	97 (76.4)	150 (76.1)
Rural	17 (24.3)	30 (23.6)	47 (23.9)
Socioeconomic status			
Upper (Kuppuswamy class I)	56 (80.0)	88 (69.3)	144 (73.1)
Middle (Kuppuswamy II & III)	14 (20.0)	39 (30.7)	53 (26.9)
ATP 30 score			
<90	3 (4.3)	13 (10.2)	16 (8.1)
>90	67 (95.7)	114 (89.8)	181 (91.9)

Table 2: Analysis of score of ATP30 questionnaire

ATP30 score Variable	n	Minimum	Maximum	Mean	Median	SD	P-value
Batch							
First year	70	80	131	105.7	105.5	9.96	0.14
Final year	127	75	131	104.93	106	11.49	
Sex							
Female	143	77	131	106.39	107	10.53	0.007
Male	54	75	128	102.06	102	11.51	
Locality							
Urban	150	75	131	104.85	106	10.92	0.09
Rural	47	84	131	106.32	103	11.10	
Socio economic status							
Upper (Kuppuswamy class I)	144	77	131	105.49	106.5	10.73	0.11
Middle (Kuppuswamy II & III)	53	75	129	104.43	104	11.61	

Table 3: Sub analysis of ATP30 questionnaire among first and final years

Question	Answer	Year		P-value
		First Year	Final Year	
Psychiatrists talk a lot but do very little	Agree	9 (12.90%)	22 (17.30%)	0.005
	Disagree	43 (61.40%)	94 (74.00%)	
Psychiatric hospitals are little more than prisons	Agree	21 (30.00%)	31 (24.40%)	0.001
	Disagree	23 (32.90%)	75 (59.10%)	
Psychiatrists seen to talk about nothing but sex.	Agree	3 (4.30%)	3 (2.40%)	0.002
	Disagree	46 (65.70%)	110 (86.60%)	
The practice of psychotherapy basically is fraudulent since there is no strong evidence that it is effective	Agree	14 (20.00%)	12 (9.40%)	0.04
	Disagree	34 (48.60%)	82 (64.60%)	
Psychiatric teaching increases our understanding of medical and surgical patients	Agree	54 (77.10%)	72 (56.70%)	0.007
	Disagree	4 (5.70%)	25 (19.70%)	
The majority of students report that their psychiatric undergraduate training has been valuable.	Agree	31 (44.30%)	52 (40.90%)	0.003
	Disagree	8 (11.40%)	40 (31.50%)	
Psychiatric illness deserves at least as much attention as physical illness.	Agree	55 (78.60%)	116 (91.30%)	0.04
	Disagree	6 (8.60%)	5 (3.90%)	
It is interesting to try to unravel the cause of psychiatric illness	Agree	53 (75.70%)	98 (77.20%)	0.03
	Disagree	1 (1.40%)	12 (9.40%)	
Psychiatric hospitals have a specific contribution to make to the treatment of mentally ill	Agree	49 (70.00%)	93 (73.20%)	0.01
	Disagree	0 (0.00%)	11 (8.70%)	
Psychiatry is so unscientific that even psychiatrists can't agree as to what its basic applied sciences are.	Agree	6 (8.60%)	28 (22.00%)	0.01
	Disagree	28 (40.00%)	57 (44.90%)	
Most of the so-called facts in psychiatry are really very vague.	Agree	49 (70.00%)	36 (28.30%)	<0.001
	Disagree	2 (2.90%)	55 (43.30%)	

studies might probably be due to differences in the measures used to assess the attitude of medical students, teaching methods, duration of exposure and the proportion of patients with good prognosis to which students are exposed. Stigma attached to psychiatric illnesses, familial pressure against the psychiatry as a career choice may be reasons for very few doctors preferring to specialize in psychiatry.¹⁹ Literacy on mental health and the interaction with patients may have positive effects on reducing stigma³ and there is the improvement on stigmatization scores as the students get more contact with mental health patients.^{20,21} This suggests a greater need for in-depth exposure to psychiatry and various subspecialties of psychiatry along with integration of medical, surgical and psychiatry clinical teaching.

The main limitation of our study is we did not compare the attitudes of same cohort of students before and after psychiatry posting. A prospective study of a cohort of students at various stages of clinical exposure would be a better alternative.

5. Conclusions

Psychiatric education positively influences attitude of medical students towards some aspects of psychiatry such as psychiatric illness, psychiatric hospitals and role of psychiatrists and psychiatric treatment but does not increase the number of students willing to pursue psychiatry as a career. It will be helpful if changes are made in psychiatric curriculum for undergraduates to meet current and future requirement of medical professionals to deal with psychiatric disorders

6. Source of Funding

No financial support was received for the work within this manuscript.

7. Conflict of Interest

The authors declare they have no conflict of interest.

References

- Vigo D, Thornicroft G, Atun R. Estimating the true global burden of mental illness. *Lancet Psychiatry*. 2016;3(2):171–8. doi:10.1016/s2215-0366(15)00505-2.
- The burden of mental disorders across the states of India: the Global Burden of Disease Study 1990–2017. *Lancet Psychiatry*. 2020;7(2):148–61. doi:10.1016/S2215-0366(19)30475-4.
- Spagnolo AB, Murphy AA, Librera LA. Reducing stigma by meeting and learning from people with mental illness. *Psychiatr Rehabil J*. 2008;31(3):186–93. doi:10.2975/31.3.2008.186.193.
- Aruna G, Mittal S, Yadiyal MB, Acharya C, Acharya S, Uppuluri C, et al. Perception, knowledge, and attitude toward mental disorders and psychiatry among medical undergraduates in Karnataka: A cross-sectional study. *Indian J Psychiatry*. 2016;58(1):70–6. doi:10.4103/0019-5545.174381.
- Tharyan P, John T, Tharyan A, Braganza D. Attitude of 'tomorrow's doctors' toward psychiatry and mental illness. *Natl Med J India*. 2001;14:355–59.
- Issa B, Adegunloye O, Yussuf A, Oyewole O, Fatoye F. Attitudes of Medical Students to Psychiatry at a Nigerian Medical School. *Hong Kong J Psychiatry*. 2009;19:72–7.
- Ahmed A. Attitude of Arabian Gulf University Medical Students towards Psychiatry. *Educ Health*. 2002;15:180–8.
- Burra P, Kalin R, Leichner P, Waldron JJ, Handforth JR, Jarrett FJ, et al. The ATP 30-a scale for measuring medical students' attitudes to psychiatry. *Med Educ*. 1982;16(1):31–8. doi:10.1111/j.1365-2923.1982.tb01216.x.
- Khan SA, Yousafzai A, Mehirkhan RK, ul Haq I. Attitude of medical students towards psychiatry in NWFP. *J Ayub Med Coll Abbottabad*. 2008;20:44–6.
- Prathaptharyan TJ, Annatharyan D. Attitudes of 'tomorrow's doctors' towards psychiatry and mental illness. *Natl Med J India*. 2001;14:355–9.
- Fischel T, Manna H, Krivoy A, Lewis M, Weizman A. Does a Clerkship in Psychiatry Contribute to Changing Medical Students' Attitudes Towards Psychiatry? *Academic Psychiatry*. 2008;32(2):147–50. doi:10.1176/appi.ap.32.2.147.
- Kuhnigk O, Strebel B, Schilauke J, Jueptner M. Attitudes of Medical Students Towards Psychiatry. *Adv Health Sci Educ*. 2007;12:87–101. doi:10.1007/s10459-005-5045-7.
- Singh JC, Singh MP, Mahendra J, Gaurav D, Kumar SK, Kumar KA, et al. Attitude of undergraduate medical students toward psychiatry: A cross-sectional comparative study. *Ind Psychiatry J*. 2018;27:124–30.
- Lyons Z. Attitudes of medical students toward psychiatry and psychiatry as a career: a systematic review. *Acad Psychiatry*. 2013;37:150–57.
- Ndetei DM, Khasakhala L, Ongecha-Owuor F, Kuria M, Mutiso V, Syanda J, et al. Attitudes Toward Psychiatry: A Survey of Medical Students at the University of Nairobi, Kenya. *Academic Psychiatry*. 2008;32(2):154–9. doi:10.1176/appi.ap.32.2.154.
- Reddy JP, Tan S, Azmi M, Shaharom M, Rosdinom R, Maniam T, et al. The effect of a clinical posting in psychiatry on the attitudes of medical students towards psychiatry and mental illness in a Malaysian medical school. *Ann-Academy Med Singapore*. 2005;34:505.
- Jugal K, Mukherjee R, Parashar M, Jiloha RC, Ingle GK. Beliefs and attitudes towards mental health among medical professionals in Delhi. *Indian J Community Med*. 2007;32(3):198. doi:10.4103/0970-0218.36827.
- Lingeswaran A. Psychiatric Curriculum and its Impact on the Attitude of Indian Undergraduate Medical Students and Interns. *Indian J Psychol Med*. 2010;32(2):119–27. doi:10.4103/0253-7176.78509.
- Chawla JM, Balhara YP, Sagar R. Shivaprakash Undergraduate medical students' attitude toward psychiatry: A cross-sectional study. *Indian J Psychiatry*. 2012;54:37–40.
- Telles-Correia D, Marques JG, Gramaça J, Sampaio D. Stigma and Attitudes towards Psychiatric Patients in Portuguese Medical Students. *Acta Méd Portuguesa*. 2015;28(6):715–9. doi:10.20344/amp.6231.
- Marques AJ, Barbosa T, Queiros C. Stigma in mental health: perceptions of students who will be future health professionals. *Eur Psychiatry*. 2011;26(S2):1439. doi:10.1016/s0924-9338(11)73144-3.

Author biography

M Prajwala, Assistant Professor

B Sarath, Assistant Professor

K Madhavi, Associate Professor

P Krishna Mohan, Professor

Cite this article: Prajwala M, Sarath B, Madhavi K, Mohan PK. Psychiatric clinical exposure and its impact on attitude towards psychiatry in undergraduate medical students. *IP Indian J Neurosci* 2020;6(4):263–266.